

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7A



FIG. 7B




FIG. 7C




FIG. 7D




FIG. 7E




FIG. 7F



FIG. 7G




FIG. 8




FIG. 9





FIG.10



ssi : section_syntax_indicator
 pi : private_indicator
 rsvd : reserved
 psc : payload_scramble_indicator
 asc : address_scramble_indicator
 LSf : LLC_SNAP_flag
 cni : current_next_indicator

FIG.11

MAC ADDRESS	Ks_even	Ks_odd	Ks FLAG
08:00:46:01:07:24	0xC08F...25	0x90B3...AF	0
08:00:45:01:07:09	0x26D2...61	0xBA02...3C	1
01:00:5e:16:0:0	0x461E...67	0xDC1A...22	0

FIG.12




FIG.13

IP ADDRESS	bitmask	MAC address
133.11.9.39	255.255.255.225	08:00:46:01:07:24
133.11.20.0	255.255.255.0	08:00:46:01:07:09
226.0.0.0	255.255.255.224	01:00:5e:16:0:0

FIG.15

MAC ADDRESS	Ks_even	Ks_odd
08:00:46:01:07:24	0xC08F...25	0x90B3...AF
01:00:5e:16:0:0	0x461E...67	0xDC1A...22

FIG.16

113

VERS	HLEN	SERVIE TYPE	TOTAL LENGTH	
IDENTIFICAION			FLAGS	FRAGMENT OFFSET
TIME TO LIVE		PROTOCOL	HEADER CHECKSUM	
SOURCE IP ADDRESS				
DESTINATION IP ADDRESS				
IP OPTIONS (IF ANY)				PADDING
DATA				
.				

FIG. 14




FIG. 17




FIG. 18

